PRINTED: 03/01/2022 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		IDENTIFICATION NUMBER: A. BUILDI		E CONSTRUCTION	(X3) DATE SURVEY COMPLETED
					C
		436130	B. WING	<del></del>	02/16/2022
NAME OF PROVIDER OR SUPPLIER				STREET ADDRESS, CITY, STATE, ZIP CODE	
DETUANV	HOME - BRANDON			3012 E ASPEN BLVD	
DE LIMINI	HOME - PRAMEON			BRANDON, SD 57005	
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORR (EACH CORRECTIVE ACTION SE CROSS-REFERENCED TO THE AP	HOULD BE COMPLET
				DEFICIENCY)	
F 000	INITIAL COMMENTS	1	F 000		G. C.
	CFR Part 483, Subpa Term Care facilities, v Areas surveyed include property and pharmace	orvey for compliance with 42 art B, requirements for Long was conducted on 2/16/22. ded misappropriation of ceutical services. Bethany ound not in compliance with			
F 761 SS=D	the following requirers Label/Store Drugs an	nent: F761. d Biologicals	F 761	F 761; DON consulted with Avera LT0 03/01/2022 who supplied four locked be permanently affixed inside the mer	C Pharmacy on boxes that can disallon
	Drugs and biologicals labeled in accordance professional principles appropriate accessor instructions, and the	y and cautionary		03/01/2022 who supplied four locked be permanently affixed inside the merefrigerators in all medication rooms on eighborhood in the facility. The inject was placed in these storage contained the key for the lock box is kept with non duty. The DON has the spare keys boxes. Spare they is located DON assessed all ferrigerators on 02 other refridgerated controlled substan present.	
	§483.45(h)(1) In acco Federal laws, the faci biologicals in locked of	of Drugs and Blologicals ordance with State and lity must store all drugs and compartments under proper and permit only authorized cess to the keys,		DON removed the Tramadol from the med room on 02/16/2022 and double medication in their office. Med is sole destroyed 03/04/2022. Tramadol All other medication was not double medication was found to be improper A controlled medication was started for E-kit stored in the Willow Wood Way to 03/03/2022, by Bethemy Neighborhoo other controlled medications were stored in the refridgerator, verified by	locked the duled to be ways stored in 10 W locked. No other and stored by stored. Who was the narcotic refridgerator on d Leader. No
	locked, permanently a storage of controlled of the Comprehensive D Control Act of 1976 at abuse, except when the package drug distribution quantity stored is minimal be readily detected.	cility must provide separately affixed compartments for drugs listed in Schedule II of Drug Abuse Prevention and not other drugs subject to the facility uses single unit ution systems in which the imal and a missing dose can		IDT reviewed and revised the policies relating to the Storage of Drugs and E 02/17/2022.  DON in conjunction with Avera LTC P an all staff educational session on 02/1 regarding policy updates and proper retorage, administration, descruction/d controlled substances and the Storag Policy and Procedure.  Video recording of the Was sent to all staff with competency 165.	harmacy held 24/202 eclot, isposai of

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made evaluable to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Hunter Winklepleck

Administrator

03/08/2022

PRINTED: 03/01/2022 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED			
		436130	B, WING		G			
			021102					
NAME OF PROVIDER OR SUPPLIER  BETHANY HOME - BRANDON			STREET ADDRESS, CITY, STATE, ZIP CODE  3012 E ASPEN BLVD  BRANDON, SD 57005					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES  (EACH DEFICIENCY MUST BE PRECEDED BY FULL FREGULATORY OR LSC IDENTIFYING INFORMATION)			PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD E CROSS-REFERENCED TO THE APPROPRI DEFICIENCY)	(X5) COMPLETION DATE			
F 76	SUMMARY STATEMENT OF DEFICIENCIES  X (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		F 76	Beginning the week of 03/07/2022, DON or will audit all med fridges to ensure there are unlocked controlled substances being stored will be once a week for 4 weeks and monthly more months.  Beginning the week of 03/07/2022, DON or will audit that no narcotics are being stored bins to the pharmacy. Audits will be once at 4 weeks and monthly for two more months.  Beginning the week of 03/07/2022, DON or will be auditing med carts to ensure that consubstances are being stored properly. Audit be weekly for 4 weeks and monthly for 2 mo DON or designee will present the findings of to the QAPI committee at their quarterly mereview and recommendation for as long as the committee deems necessary.	i. Audits y for two  designee n return week for  designee trolled s will re months if the audit			

PRINTED: 03/01/2022 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		2) MULTIPLE CONSTRUCTION  BUILDING		COMPLETED		
		435130	B. WING			1	C /16/2022	
NAME OF PROVIDER OR SUPPLIER BETHANY HOME - BRANDON				STREET ADDRESS, CITY, STATE, ZIP CODE 3012 E ASPEN BLVD BRANDON, SD 67006				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG	x	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X6) COMPLETION DATE	
F 761	(EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		F	761				

PRINTED: 03/01/2022 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED		
		107100				С	
		435130	B. WING	46		02/16/2022	
NAME OF PROVIDER OR SUPPLIER  BETHANY HOME - BRANDON				30	VREET ADDRESS, GITY, STATE, ZIP CODE D12 E ASPEN BLVD RANDON, SD 57005		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			X	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD B CROSS-REFERENCED TO THE APPROPRIA DEFIGIENCY)		(X5) COMPLETION DATE
F 761	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		F	761			